

CITC Technical Specification

Specification for VSAT terminals and ancillary equipment

Document Number: RI026

Revision: Issue 03

Date: 02/03/2021

Issued by The Communications and Information Technology Commission of Saudi Arabia in accordance with article 84 of the Telecommunications Bylaw.

Communications and Information Technology Commission (CITC)
P.O Box 75606 – Riyadh 11588 - Kingdom of Saudi Arabia

 Telephone:
 + 966 1 14618000

 Fax:
 + 966 1 14618120

 E-mail:
 info@citc.gov.sa

 Website:
 www.citc.gov.sa

Contents

scope	 3
Enforcement	 3
General Requirements	 4
imits and conditions	 4
icensing Requirements	
Additional Requirements	
References	 6
History	 7

Scope

This specification applies VSAT terminals and ancillary equipment.

The very small aperture terminal or VSAT service is a bidirectional communication technology offering a sattelite based communication between ground based mobile terminals often used for the transfer of video and audio data between a mobile station in a vehicle and a central broadcasting stations.

Enforcement

This specification shall enter into force on 01/06/2021.

Any previous version of this technical specification is withdrawn.

General Requirements

All equipment must comply with the requirement of CITC specification GEN001, be safe and must not adversely affect other electrical equipment.

All telecommunications and radio terminal equipment must comply with the relevant technical specifications established by CITC. In addition, such equipment may be subject to regulations for Declaration of Conformity or registration. See www.citc.gov.sa for details.

If more than one interface type is offered by a piece of equipment, each interface must meet the applicable technical specifications.

Further information on the characteristics and presentation of network interfaces can be found by visiting operator's website.

It is mandatory that test reports are obtained from a laboratory that has been accredited by a body that is a member of the ILAC Mutual Recognition Arrangement.

Limits and conditions

Testing should be carried out to ensure compliance with the listed specifications.

Frequency band	Max Output Power or Magnetic Field	Usage	Standard	Comments
		Fixed		
1.518 - 1.559	Subject to	Satellite	EN 301 426	
GHz	licensing	Services	EN 301 489-12	
		(FSS)		
1.6138 – 1.6100	Subject to	FSS	EN 301 426	
GHz	licensing		EN 301 489-12	

1.668 – 1.675	Subject to	FSS	EN 301 426	
GHz	licensing		EN 301 489-12	

Licensing Requirements

VSAT System Communications Service license is required to use and import this equipment.

Spectrum license is required to use this service.

Additional Requirements

There is no additional requirements for this technical specification.

References

The following referenced documents are indispensable for the application of this document. If no issue or revision number is quoted along with the title of a technical specification or standard, the latest published version should be used.

EN 301 426

Satellite earth stations and Systems (SES); Harmonised EN for low data rate land mobile satellite earth stations (LMES) operating in the 1.5/1.6 GHz frequency bands covering essential requirements under Article 3(2) of the R&TTE directive.

EN 301 443

Satellite Earth stations and Systems (SES); Harmonised EN for Very Small Aperture Terminal (VSAT); Transmit-only, transmit-and-receive, receive-only satellite earth stations operating in the 4GHz and 6GHz frequency bands covering essential requirements under article 3.2 of the R&TTE directive.

EN 301 428

Satellite Earth stations and Systems (SES); Harmonised EN for Very Small Aperture Terminal (VSAT); Transmit-only, transmit/receive or receive-only satellite earth stations operating in the 11/12/14 GHz frequency bands covering essential requirements under article 3(2) of the R&TTE directive.

EN 301 489-1

Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements.

EN 301 489-12

Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 12: Specific conditions for Very Small Aperture Terminal (VSAT), Satellite Interactive Earth Stations operated in the frequency ranges between 4GHz and 30GHz in the Fixed Satellite Service (FSS).

History

For reference, the latest versions of the technical specifications are published on the CITC website www.citc.gov.sa.

Description	Status	Date
	Issue 1	11/03/2006
	Issue 2	10/01/2010
	Issue 3	02/03/2021