



CITC Technical Specification

Document Number: RI051
Revision: Issue 2
Date: 10/01/2010 G

Specification for Ground and Airbourne Model Control Equipment

Issued by The Communications and Information Technology Commission of Saudi Arabia in accordance with article 89 of the Telecommunications Bylaw.

Communications and Information Technology Commission
King Fahad Highway
Riyadh

Telephone: + 966 1 461 8050
Fax: + 966 1 461 8150
E-mail: info@citc.gov.sa
Website: www.citc.gov.sa

Contents

This document comprises the following sections:

Scope.....	2
Entry into force	2
Frequency of operation	3
Proof of compliance.....	3
Technical requirements.....	3
Additional requirements	4
Obtaining technical standards.....	4
Network information (only for network interfaces)	4
Document history.....	4

Scope

This document applies to ground and airborne model control equipment.

All telecommunications and radio terminal equipment must comply with the relevant technical specifications established by CITC. In addition, such equipment may be subject to regulations for Declaration of Conformity or registration. See <http://www.citc.gov.sa/> for details.

If more than one interface type is offered by a piece of equipment, each interface must meet the applicable technical specifications.

Entry into force

This specification shall enter into force on 10/01/2010 G

Frequency of operation

Following table is showing information on frequency bands, maximum output power and applicable specifications:

Frequency band	Maximum Output Power or Magnetic Field	ETSI Standard
26.995, 27.045, 27.095, 27.145, 27.195 MHz	100 mW e.r.p.	EN 300 220
34.995-35.225 MHz*	100 mW e.r.p.	EN 300 220
40.665, 40.675, 40.685, 40.695 MHz	100 mW e.r.p.	EN 300 220

* Airborne only.

Proof of compliance

It is recommended that test reports are obtained from a laboratory that has been accredited by a body that is a member of the ILAC Mutual Recognition Arrangement.

Technical requirements

Testing should be carried out to ensure compliance with the following specifications:

EN 300 220-2

Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); radio equipment to be used in the 25 MHz to 1000 MHz frequency range with power levels ranging up to 500 mW; Part 2: Harmonized EN covering essential requirements under article 3.2 of the R&TTE directive.

EN 301 489-1

Electromagnetic compatibility and Radio spectrum Matters (ERM); Electromagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements.

EN 301 489-3

Electromagnetic compatibility and Radio spectrum Matters (ERM);
Electromagnetic Compatibility (EMC) standard for radio equipment and
services; Part 3: Specific conditions for Short Range Devices (SRD)
operating on frequencies between 9 kHz and 40 GHz.

If no issue or revision number is quoted along with the title of a technical
specification, the latest published version should be used.

General

In addition to meeting the above requirements, all equipment must comply
with the requirement of CITC specification GEN001, be safe and must not
adversely affect other electrical equipment.

Additional requirements

To use these kind of equipment in the Kingdom a coordination with relevant
agencies might be required.

Obtaining technical standards

ETSI technical standards may be obtained free of charge for individual use
from the ETSI website www.etsi.org.

Network information (only for network interfaces)

Further information on the characteristics and presentation of network
interfaces can be found by visiting operator's website.

Document history

Description	Status	Date
	Issue 1	11/03/2006 G
	Issue 2	10/01/2010 G